

# ECE276B: Planning & Learning in Robotics

## Lecture 13: Value Function Approximation

Nikolay Atanasov  
[natanasov@ucsd.edu](mailto:natanasov@ucsd.edu)

**UC San Diego**  
**JACOBS SCHOOL OF ENGINEERING**  
Electrical and Computer Engineering

# Outline

Value Function Approximation

Incremental Methods

Batch Methods


# Optimal Control in Large and Infinite Spaces

- ▶ So far we have been using a vector to represent the value function:
  - ▶ every state  $\mathbf{x}$  has an entry  $V^\pi(\mathbf{x})$
  - ▶ every state-control pair  $(\mathbf{x}, \mathbf{u})$  has an entry  $Q^\pi(\mathbf{x}, \mathbf{u})$
- ▶ In very large and continuous state and control spaces:
  - ▶ there are too many states and controls to store in memory
  - ▶ it is too slow to approximate the value of each state individually
- ▶ **Key idea:**
  - ▶ represent the value function using function approximation with parameters  $\theta$ :

$$V^\pi(\mathbf{x}) \approx \hat{V}(\mathbf{x}; \theta) \quad Q^\pi(\mathbf{x}, \mathbf{u}) \approx \hat{Q}(\mathbf{x}, \mathbf{u}; \theta)$$

- ▶ update the parameters  $\theta$  using MC or TD learning
- ▶ this allows generalization from seen to unseen states and controls

# Value Function Approximation



# Value Function Approximation

- ▶ Many function approximators are possible:
  - ▶ Linear combination of features (differentiable)
  - ▶ Neural network (differentiable)
  - ▶ Fourier / wavelet base (differentiable)
  - ▶ Nearest neighbor
  - ▶ Decision tree
- ▶ A **differentiable** function approximator is necessary to allow parameter updates
- ▶ A training method for non-stationary non-iid data is required

# Value Approximation via Unconstrained Optimization

- ▶ **Main idea:**

- ▶ define a function  $J(\theta)$  measuring the error between  $V^\pi(\mathbf{x})$  and  $\hat{V}(\mathbf{x}; \theta)$
- ▶ determine the parameters through an optimization problem:

$$\theta^* \in \arg \min_{\theta} J(\theta)$$

- ▶ Two approaches to solving  $\min_{\theta} J(\theta)$ :

- ▶ **Incremental:** use a (stochastic) descent method:

$$\theta_{k+1} = \theta_k + \alpha_k \delta \theta_k$$

where  $\delta \theta_k$  is a valid descent direction with  $\nabla_{\theta} J(\theta_k)^{\top} \delta \theta_k < 0$

- ▶ **Batch:** obtain  $\theta^*$  from the optimality conditions:

$$\nabla_{\theta} J(\theta) = 0$$

# Optimality Conditions

## First-order Necessary Condition

Suppose  $J(\theta)$  is differentiable at  $\bar{\theta}$ . If  $\bar{\theta}$  is a local minimizer, then  $\nabla J(\bar{\theta}) = 0$ .

## Second-order Necessary Condition

Suppose  $J(\theta)$  is twice-differentiable at  $\bar{\theta}$ . If  $\bar{\theta}$  is a local minimizer, then  $\nabla J(\bar{\theta}) = 0$  and  $\nabla^2 J(\bar{\theta}) \succeq 0$ .

## Second-order Sufficient Condition

Suppose  $J(\theta)$  is twice-differentiable at  $\bar{\theta}$ . If  $\nabla J(\bar{\theta}) = 0$  and  $\nabla^2 J(\bar{\theta}) \succ 0$ , then  $\bar{\theta}$  is a local minimizer.

## Necessary and Sufficient Condition

Suppose  $J(\theta)$  is differentiable at  $\bar{\theta}$ . If  $J$  is **convex**, then  $\bar{\theta}$  is a global minimizer **if and only if**  $\nabla J(\bar{\theta}) = 0$ .

# Descent Optimization Methods

## Descent Direction Theorem

Suppose  $J(\theta)$  is differentiable at  $\bar{\theta}$ . If  $\exists \delta\theta$  such that  $\nabla J(\bar{\theta})^T \delta\theta < 0$ , then  $\exists \epsilon > 0$  such that  $J(\bar{\theta} + \alpha\delta\theta) < J(\bar{\theta})$  for all  $\alpha \in (0, \epsilon)$ .

- ▶ The vector  $\delta\theta$  is called a **descent direction**
- ▶ The theorem states that if a descent direction exists at  $\bar{\theta}$ , then it is possible to move to a new point that has a lower  $J$  value.
- ▶ **Descent method:** given an initial guess  $\theta_k$ , take a step of size  $\alpha_k > 0$  along a descent direction  $\delta\theta_k$ :

$$\theta_{k+1} = \theta_k + \alpha_k \delta\theta_k$$



# Descent Optimization Methods



- ▶ Methods differ in the way  $\delta\theta_k$  and  $\alpha_k$  are chosen:
  - ▶  $\delta\theta_k$  should be a descent direction:  $\nabla J(\theta_k)^T \delta\theta_k < 0$  for all  $\theta_k \neq \theta^*$
  - ▶  $\alpha_k$  needs to ensure sufficient decrease in  $J$  to guarantee convergence:

$$\alpha_k^* \in \arg \min_{\alpha > 0} J(\theta_k + \alpha \delta\theta_k)$$

usually obtained via line search

- ▶ **Steepest descent direction:**  $\delta\theta_k := -\frac{\nabla J(\theta_k)}{\|\nabla J(\theta_k)\|}$
- ▶ **Gradient descent:**  $\delta\theta_k := -\nabla_{\theta} J(\theta_k)$  points in the direction of steepest local descent and we can iterate:

$$\theta_{k+1} = \theta_k - \alpha_k \nabla_{\theta} J(\theta_k)$$



## Min Square Error Value Function Approximation

- ▶ Find parameters  $\theta$  minimizing the mean-square error (MSE) between the true and approximate value function of policy  $\pi$ :

$$J(\theta) = \frac{1}{2} \mathbb{E} \left[ \left( V^\pi(\mathbf{x}) - \hat{V}(\mathbf{x}; \theta) \right)^2 \right] \quad \text{OR} \quad J(\theta) = \frac{1}{2} \mathbb{E} \left[ \left( Q^\pi(\mathbf{x}, \mathbf{u}) - \hat{Q}(\mathbf{x}, \mathbf{u}; \theta) \right)^2 \right]$$

where the expectation is over the state-control distribution induced by  $\pi$

- ▶ Need to choose:
  - ▶ an incremental or batch optimization approach
  - ▶ a representation for  $\hat{V}(\mathbf{x}; \theta)$  or  $\hat{Q}(\mathbf{x}, \mathbf{u}; \theta)$

## Incremental vs Batch optimization

- ▶ **Incremental optimization:**

- ▶ **Gradient descent:**

$$\delta\theta = -\nabla_{\theta}J(\theta) = \mathbb{E} \left[ \left( V^{\pi}(\mathbf{x}) - \hat{V}(\mathbf{x}; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}, \theta) \right]$$

$$\delta\theta = -\nabla_{\theta}J(\theta) = \mathbb{E} \left[ \left( Q^{\pi}(\mathbf{x}, \mathbf{u}) - \hat{Q}(\mathbf{x}, \mathbf{u}; \theta) \right) \nabla_{\theta} \hat{Q}(\mathbf{x}, \mathbf{u}; \theta) \right]$$

- ▶ **Stochastic gradient descent:** uses samples  $\mathbf{x}_t, \mathbf{u}_t$  from  $\pi$  rather than computing the exact expectation:

$$\delta\theta_t = \left( V^{\pi}(\mathbf{x}_t) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t; \theta)$$

$$\delta\theta_t = \left( Q^{\pi}(\mathbf{x}_t, \mathbf{u}_t) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \nabla_{\theta} \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

The stochastic gradient equals the true gradient in expectation  $\mathbb{E}[\delta\theta_t] = \delta\theta$

- ▶ **Batch optimization:** the expected update  $\mathbb{E}[\delta\theta_t]$  must be zero at the minimizer  $\theta^*$  of  $J(\theta)$ . Determine  $\theta^*$  directly by solving:

$$\mathbb{E}[\delta\theta_t] = 0$$

## Linear Value Function Approximation

- ▶ Associate state  $\mathbf{x}$  with feature vector  $\phi(\mathbf{x})$  or state-control pair  $(\mathbf{x}, \mathbf{u})$  with feature vector  $\phi(\mathbf{x}, \mathbf{u})$ , e.g.:
  - ▶ kernel distance to  $n$  landmarks:  $\phi(\mathbf{x}) = [k(\mathbf{x}, \mathbf{x}_1), \dots, k(\mathbf{x}, \mathbf{x}_n)]^\top$
  - ▶ piece and pawn configurations in chess
- ▶ Represent the value function by a linear combination of features:

$$\hat{V}(\mathbf{x}; \boldsymbol{\theta}) = \boldsymbol{\theta}^\top \phi(\mathbf{x}) = \sum_j \theta_j \phi_j(\mathbf{x})$$

$$\hat{Q}(\mathbf{x}, \mathbf{u}; \boldsymbol{\theta}) = \boldsymbol{\theta}^\top \phi(\mathbf{x}, \mathbf{u}) = \sum_j \theta_j \phi_j(\mathbf{x}, \mathbf{u})$$

- ▶ Example: finite-space representation of  $V^\pi(\mathbf{x})$  over  $\{\mathbf{x}_1, \dots, \mathbf{x}_n\}$  is a special case of linear function approximation with  $\phi(\mathbf{x}) = [\mathbb{1}_{\{\mathbf{x}=\mathbf{x}_1\}}, \dots, \mathbb{1}_{\{\mathbf{x}=\mathbf{x}_n\}}]^\top$  and  $\boldsymbol{\theta}$  stores the values of the  $n$  points:  $\hat{V}(\mathbf{x}; \boldsymbol{\theta}) = \sum_j \theta_j \mathbb{1}_{\{\mathbf{x}=\mathbf{x}_j\}}$

# Outline

Value Function Approximation

Incremental Methods

Batch Methods

## Incremental Prediction for Linear Approximation

- ▶ When the value function is represented by a linear combination of features, the objective function  $J(\theta)$  is quadratic in  $\theta$ :

$$J(\theta) = \frac{1}{2} \mathbb{E} \left[ \left( V^\pi(\mathbf{x}) - \theta^\top \phi(\mathbf{x}) \right)^2 \right] \quad J(\theta) = \frac{1}{2} \mathbb{E} \left[ \left( Q^\pi(\mathbf{x}, \mathbf{u}) - \theta^\top \phi(\mathbf{x}, \mathbf{u}) \right)^2 \right]$$

- ▶ Stochastic gradient descent converges to a *global* optimum
- ▶ A descent direction  $\delta\theta_t$  is easy to obtain:

$$\delta\theta_t = \underbrace{\left( V^\pi(\mathbf{x}_t) - \hat{V}(\mathbf{x}_t; \theta) \right)}_{\text{prediction error}} \underbrace{\phi(\mathbf{x}_t)}_{\text{feature value}}$$
$$\delta\theta_t = \underbrace{\left( Q^\pi(\mathbf{x}_t, \mathbf{u}_t) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right)}_{\text{prediction error}} \underbrace{\phi(\mathbf{x}_t, \mathbf{u}_t)}_{\text{feature value}}$$

# Incremental Prediction Algorithms

- ▶ The (stochastic) gradient descent for optimizing  $\theta$  can be performed only if  $V^\pi(\mathbf{x})$  is available to compute the prediction error
- ▶ In practice, we substitute a *target* for  $V^\pi(\mathbf{x})$  obtained from noisy samples along an episode  $\rho = \mathbf{x}_0, \mathbf{u}_0, \mathbf{x}_1, \mathbf{u}_1, \dots \sim \pi$ :
  - ▶ MC: uses a dataset  $\mathcal{D} := \{(\mathbf{x}_t, L_t(\rho_t))\}$
  - ▶ TD: uses a dataset  $\mathcal{D} := \{(\mathbf{x}_t, \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \theta))\}$
  - ▶ TD( $\lambda$ ): uses a dataset  $\mathcal{D} := \{(\mathbf{x}_t, L_t^\lambda(\rho_t))\}$

## Incremental Prediction Algorithms

- ▶ **MC**: the target is the return  $L_t(\rho_t)$ :

$$\delta\theta_t = \left( L_t(\rho_t) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t; \theta)$$

- ▶ **TD**: the target is the TD target:

$$\delta\theta_t = \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \theta) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t; \theta)$$

- ▶ **Forward-view TD**( $\lambda$ ): the target is the  $\lambda$ -return  $L_t^{\lambda}(\rho_t)$ :


$$\delta\theta_t = \left( L_t^{\lambda}(\rho_t) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t; \theta)$$

- ▶ **Backward-view TD**( $\lambda$ ):

$$\begin{aligned}\delta_t &= \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \theta) - \hat{V}(\mathbf{x}_t; \theta) \\ \mathbf{e}_t &= \gamma \lambda \mathbf{e}_{t-1} + \nabla_{\theta} \hat{V}(\mathbf{x}_t; \theta) \\ \delta\theta_t &= \delta_t \mathbf{e}_t\end{aligned}$$



## Control with Value Function Approximation



- ▶ **Policy Evaluation:** approximate  $Q^\pi(\mathbf{x}, \mathbf{u}) \approx \hat{Q}(\mathbf{x}, \mathbf{u}; \theta)$  via stochastic gradient descent
- ▶ **Policy Improvement:**  $\epsilon$ -greedy policy improvement based on  $\hat{Q}(\mathbf{x}, \mathbf{u}; \theta)$

## Incremental Control Algorithms

▶ Q-Prediction: we must substitute a *target* for  $Q^\pi(\mathbf{x}, \mathbf{u})$

▶ MC:

$$\delta\theta_t = \left( L_t(\rho) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \nabla_{\theta} \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

▶ TD:

$$\delta\theta_t = \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{Q}(\mathbf{x}_{t+1}, \mathbf{u}_{t+1}; \theta) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \nabla_{\theta} \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

▶ Forward-view TD( $\lambda$ ):

$$\delta\theta_t = \left( L_t^\lambda(\rho) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \nabla_{\theta} \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

▶ Backward-view TD( $\lambda$ ):







$$\delta_t = \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{Q}(\mathbf{x}_{t+1}, \mathbf{u}_{t+1}; \theta) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

$$\mathbf{e}_t = \gamma \lambda \mathbf{e}_{t-1} + \nabla_{\theta} \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta)$$

$$\delta\theta_t = \delta_t \mathbf{e}_t$$

# Linear SARSA with Coarse Coding in Mountain Car

MOUNTAIN CAR



# Convergence of Prediction and Control Algorithms

## ► Model-free Prediction:

Algorithm	Finite Space	Linear	Non-Linear
On-Policy MC	✓	✓	✓
On-Policy TD	✓	✓	✗
Off-Policy MC	✓	✓	✓
Off-Policy TD	✓	✗	✗

- There is a version of TD that follows the gradient of the projected Bellman error and converges in all cases

## ► Model-free Control:

Algorithm	Finite Space	Linear	Non-Linear
MC Control	✓	(✓)	✗
SARSA	✓	(✓)	✗
Q-learning	✓	✗	✗

- (✓) = chatters around a near-optimal value function
- There is a gradient Q-learning version that converges in the linear case

# Outline

Value Function Approximation

Incremental Methods

Batch Methods

## Batch Prediction

▶ **Given:**

- ▶ Value function approximation  $\hat{V}(\mathbf{x}; \theta) \approx V^\pi(\mathbf{x})$
- ▶ Experience  $\mathcal{D} := \{(\mathbf{x}_t, V^\pi(\mathbf{x}_t))\}$

▶ **Goal:** find the best fitting value function approximation:

$$\min_{\theta} J(\theta) := \frac{1}{2} \mathbb{E} \left[ \left( V^\pi(\mathbf{x}) - \hat{V}(\mathbf{x}; \theta) \right)^2 \right] \approx \frac{1}{2} \sum_{\mathbf{x}_t \in \mathcal{D}} \left( V^\pi(\mathbf{x}_t) - \hat{V}(\mathbf{x}_t; \theta) \right)^2$$

▶ **Stochastic gradient descent (SGD) with experience replay:**

1. Sample:  $(\mathbf{x}_t, V^\pi(\mathbf{x}_t)) \sim \mathcal{D}$
2. Apply SGD update with  $\delta\theta_t = \left( V^\pi(\mathbf{x}_t) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t, \theta)$ 
  - ▶ SGD with experience replay finds the least-squares solution but it may take many iterations

▶ **Batch method:** the expected update must be zero at the min of  $J(\theta)$ :

$$0 = \mathbb{E}[\delta\theta_t] \approx \sum_{\mathbf{x}_t \in \mathcal{D}} \left( V^\pi(\mathbf{x}_t) - \hat{V}(\mathbf{x}_t; \theta) \right) \nabla_{\theta} \hat{V}(\mathbf{x}_t, \theta)$$

- ▶ Obtain  $\theta^*$  directly by solving the above equation

## Batch Prediction for Linear Approximation

- ▶ When the value function is represented by a linear combination of features  $\hat{V}(\mathbf{x}; \boldsymbol{\theta}) = \boldsymbol{\theta}^\top \boldsymbol{\phi}(\mathbf{x})$ , the function  $J(\boldsymbol{\theta})$  is quadratic in  $\boldsymbol{\theta}$ :

$$J(\boldsymbol{\theta}) = \frac{1}{2} \mathbb{E} \left[ \left( V^\pi(\mathbf{x}) - \boldsymbol{\theta}^\top \boldsymbol{\phi}(\mathbf{x}) \right)^2 \right] \approx \frac{1}{2} \sum_{\mathbf{x}_t \in \mathcal{D}} \left( V^\pi(\mathbf{x}_t) - \boldsymbol{\theta}^\top \boldsymbol{\phi}(\mathbf{x}_t) \right)^2$$

- ▶ We can obtain the least squares solution  $\boldsymbol{\theta}^*$  directly:

$$0 = \mathbb{E} [\delta \boldsymbol{\theta}_t] = \sum_{\mathbf{x}_t \in \mathcal{D}} (V^\pi(\mathbf{x}_t) - \boldsymbol{\theta}^\top \boldsymbol{\phi}(\mathbf{x}_t)) \boldsymbol{\phi}(\mathbf{x}_t)$$
$$\left( \sum_{\mathbf{x}_t \in \mathcal{D}} \boldsymbol{\phi}(\mathbf{x}_t) \boldsymbol{\phi}(\mathbf{x}_t)^\top \right) \boldsymbol{\theta} = \sum_{\mathbf{x}_t \in \mathcal{D}} V^\pi(\mathbf{x}_t) \boldsymbol{\phi}(\mathbf{x}_t)$$

# Linear Least Squares Prediction Algorithms

- ▶ We do not know the true values  $V^\pi(\mathbf{x}_t)$  and must use noisy samples instead

- ▶ **Least-Squares Monte Carlo (LSMC):**

$$V^\pi(\mathbf{x}_t) \approx L_t(\rho)$$

- ▶ **Least-Squares Temporal Difference (LSTD):**

$$V^\pi(\mathbf{x}_t) \approx \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \theta)$$

- ▶ **Least-Squares TD( $\lambda$ ) (LSTD( $\lambda$ )):**

$$V^\pi(\mathbf{x}_t) \approx L_t^\lambda(\rho)$$

- ▶ In each case, we can solve directly for the fixed point  $\theta^*$



## Linear Least-Squares Prediction Algorithms

$$0 = \sum_{t=0}^T \alpha \left( L_t(\rho) - \hat{V}(\mathbf{x}_t; \boldsymbol{\theta}) \right) \phi(\mathbf{x}_t)$$

► **LSMC:**

$$\boldsymbol{\theta}^* = \left( \sum_{t=0}^T \phi(\mathbf{x}_t) \phi(\mathbf{x}_t)^T \right)^{-1} \sum_{t=0}^T \phi(\mathbf{x}_t) L_t(\rho)$$

$$0 = \sum_{t=0}^T \alpha \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \boldsymbol{\theta}) - \hat{V}(\mathbf{x}_t; \boldsymbol{\theta}) \right) \phi(\mathbf{x}_t)$$

► **LSTD:**

$$\boldsymbol{\theta}^* = \left( \sum_{t=0}^T \phi(\mathbf{x}_t) (\phi(\mathbf{x}_t) - \gamma \phi(\mathbf{x}_{t+1}))^T \right)^{-1} \sum_{t=0}^T \phi(\mathbf{x}_t) \ell(\mathbf{x}_t, \mathbf{u}_t)$$

$$0 = \sum_{t=0}^T \alpha \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{V}(\mathbf{x}_{t+1}; \boldsymbol{\theta}) - \hat{V}(\mathbf{x}_t; \boldsymbol{\theta}) \right) \mathbf{e}_t$$

► **LSTD( $\lambda$ ):**

$$\boldsymbol{\theta}^* = \left( \sum_{t=0}^T \mathbf{e}_t (\phi(\mathbf{x}_t) - \gamma \phi(\mathbf{x}_{t+1}))^T \right)^{-1} \sum_{t=0}^T \mathbf{e}_t \ell(\mathbf{x}_t, \mathbf{u}_t)$$

# Convergence of Linear-Least Squares Prediction Algorithms


## ► On-Policy:

Algorithm	Finite Space	Linear	Non-Linear
MC	✓	✓	✓
LSMC	✓	✓	—
TD	✓	✓	✗
LSTD	✓	✓	—

## ► Off-Policy:

Algorithm	Finite Space	Linear	Non-Linear
MC	✓	✓	✓
LSMC	✓	✓	—
TD	✓	✗	✗
LSTD	✓	✓	—

## Least Squares Policy Iteration



- ▶ **Policy Evaluation:** least-squares  $Q$  estimation using data from old policies
- ▶ **Policy Improvement:** does not have to be  $\epsilon$ -greedy since data from old policies is stored

## Least Squares Policy Iteration

- ▶ **Policy Evaluation:** efficiently use all experience  $\mathcal{D} := \{(\mathbf{x}_t, \mathbf{u}_t, V^\pi(\mathbf{x}_t))\}$  to compute  $\hat{Q}(\mathbf{x}, \mathbf{u}; \boldsymbol{\theta}) = \boldsymbol{\theta}^\top \phi(\mathbf{x}, \mathbf{u})$
- ▶ Since the policy in PI is changing, the experience is generated from many different policies and we must approximate  $Q^\pi$  using **off-policy** learning
- ▶ Instead of importance sampling, use an idea from Q-learning:
  - ▶ Use experience:  $\mathbf{x}_t, \mathbf{u}_t, \ell(\mathbf{x}_t, \mathbf{u}_t), \mathbf{x}_{t+1} \sim \pi_{old}$
  - ▶ With new action:  $\mathbf{u}_{t+1} = \pi_{new}(\mathbf{x}_{t+1})$
  - ▶ Update  $\hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \boldsymbol{\theta})$  towards new action value:  $\ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{Q}(\mathbf{x}_t, \mathbf{u}_{t+1}; \boldsymbol{\theta})$

## Least Squares Policy Iteration

► Experience:  $\mathbf{x}_t, \mathbf{u}_t, \ell(\mathbf{x}_t, \mathbf{u}_t), \mathbf{x}_{t+1} \sim \pi_{old}$

► Incremental update:

$$\delta\theta_t = \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{Q}(\mathbf{x}_{t+1}, \pi(\mathbf{x}_{t+1}); \theta) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \phi(\mathbf{x}_t, \mathbf{u}_t)$$

► **LSTDQ**: least-squares TD Q estimation algorithm using the fact that the expected update must be zero at the minimum of  $J(\theta)$ :

$$0 = \sum_{t=0}^T \alpha \left( \ell(\mathbf{x}_t, \mathbf{u}_t) + \gamma \hat{Q}(\mathbf{x}_{t+1}, \pi(\mathbf{x}_{t+1}); \theta) - \hat{Q}(\mathbf{x}_t, \mathbf{u}_t; \theta) \right) \phi(\mathbf{x}_t, \mathbf{u}_t)$$

$$\theta^* = \left( \sum_{t=0}^T \phi(\mathbf{x}_t, \mathbf{u}_t) (\phi(\mathbf{x}_t, \mathbf{u}_t) - \gamma \phi(\mathbf{x}_{t+1}, \pi(\mathbf{x}_{t+1})))^T \right)^{-1} \sum_{t=0}^T \phi(\mathbf{x}_t, \mathbf{u}_t) \ell(\mathbf{x}_t, \mathbf{u}_t)$$

---

### Algorithm LSPI-TD

---


- 1: **Input**: experience  $\mathcal{D}$  and base policy  $\pi$
- 2: **loop**
- 3:    $\theta^* \leftarrow \mathbf{LSTDQ}(\pi, \mathcal{D})$
- 4:    $\pi(\mathbf{x}) \leftarrow \arg \min_{\mathbf{u} \in \mathcal{U}(\mathbf{x})} \hat{Q}(\mathbf{x}, \mathbf{u}; \theta^*)$

## Convergence of Control Algorithms

Algorithm	Finite Space	Linear	Non-Linear
MC Control	✓	(✓)	✗
SARSA	✓	(✓)	✗
Q-learning	✓	✗	✗
LSPI-TD	✓	(✓)	—








- ▶ (✓) = chatters around a near-optimal value function

## Example: Chain Walk



- ▶ Consider a 50 state version of the problem
- ▶ Cost:  $-1$  in states 10 and 41 and 0 elsewhere
- ▶ Optimal policy: 
$$\pi(x) = \begin{cases} R & \text{if } x \in \{1, \dots, 9\} \cup \{26, \dots, 41\} \\ L & \text{if } x \in \{10, \dots, 25\} \cup \{42, \dots, 50\} \end{cases}$$
- ▶ Features: 10 evenly spaced Gaussians ( $\sigma = 4$ ) for each control
- ▶ Experience: 10,000 steps from a random walk policy








# Chain Walk LSPI: Action-Value Function



- ▶ True (dotted) and approximate (smooth) action-value function
- ▶ Left (blue) and right (red) control



## Chain Walk LSPI: Policy



► Left (blue) and right (red) control